



Information

Tolerance of Field Grown Conifers to Herbicides

Bold text indicates information derived from companies' own literature.
Plain text indicated information derived from other sources.

Only a limited number of species and cultivars have been tested within each genus, it is therefore, essential to carry out small scale trials on your own plants prior to full scale treatment.

Key to table

- S = Susceptible (unacceptable damage normally occurs – do not treat)
M = Moderately Susceptible (some damage may occur, but plants normally grow anyway)
T = Tolerant (damage does not normally occur)

	Aramo	Butisan S	Devrinol	Dual Gold	Flexidor 125	Kerb 50W	pendimethalin	Sumimax	Venzar Flowable
Abies	T		T	T	T	T	T	T	
Araucaria			T		T				
Cedrus			T		T	T			
Chamaecyparis	T	T	T	T	T	T	T		T
Cryptomeria			T		T		T		T
Cunninghamia									
x Cupressocyparis			T		T	T	T		
Cupressus			T		T	T	T		
Ginkgo	T			T			T		
Juniperus		T	T	T	T	T	T	T	T
Larix	T	T	T		T	T			
Libocedrus									
Metasequoia	T						T		
Phyllocladus									
Picea	T	T	T	T	T	T	T	T	T
Pinus	T	M	T	T	T	T	T	T	T
Pseudotsuga	T	T			T	T	T		
Sequoia							T		
Sequoiadendron	T						T		
Taxodium				T	T		T		
Taxus			T	T	T	T	T	T	
Thuja	T	T	T	T	T	T	T	T	T
Tsuga			T	T	T	T	T	T	

Use plant protection products safely. Always read the label and product information before use

Dove Associates shall in no event be liable for any loss or damage caused by the use of products mentioned in this document