



DOVE
ASSOCIATES

Horticultural Consultants

Weggs Farm

Common Road

Dickleburgh, DISS

Norfolk IP21 4PJ

Tel: 01379 741200

Fax: 01379 741800

Email: info@dovebugs.co.uk

www.dovebugs.co.uk

Information

Tolerance of Liners and Weaned Cuttings in Cell Trays under Protection to Herbicides

Bold text indicates information derived from companies' own literature.

Plain text indicated information derived from other sources.

Only a limited number of species and cultivars have been tested within each genus, it is therefore, essential to carry out small scale trials on your own plants prior to full scale treatment.

Genera	Butisan S	Flexidor/ Mogeton
Anisodonteia	T	T
Berberis	T	T
Buddleia	S	S
Ceanothus	T	T
Chaenomeles	M	T
Choisya	T	T
Cistus	T	T
Clematis	M	S
Cornus	S	S
Cotoneaster	M	M
Cytisus	T	T
Escallonia	T	T
Euonymus	M**	M**
Forsythia	T	T
Hebe	T	T
Hedera	T	T
Hypericum	T	T
Jasminum	T*	T**
Kerria	M	T
Lavatera	T*	M
Lavandula	T	T
Ligustrum	T*	T
Lonicera	T*	T
Osmanthus	T	T
Parthenocissus	T	T

Use plant protection products safely. Always read the label and product information before use

Dove Associates shall in no event be liable for any loss or damage caused by the use of products mentioned in this document

© Dove Associates 19/11/15

Genera	Butisan S	Flexidor/ Mogeton
Polygonum	T	T
Potentilla	T	T
Pyracantha	T	T
Rosmarinus	T	T
Santolina	T	T
Senecio	T	T
Spiraea	T	T
Viburnum	T*	T
Vinca	T	T
Weigela	T	T

Key to table

- S = Susceptible (unacceptable damage normally occurs – do not treat)
- M = Moderately Susceptible (some damage may occur, but plants normally grow anyway)
- T = Tolerant (damage does not normally occur)
- * = Some cultivars have shown moderate susceptibility
- ** = Some cultivars have shown susceptibility

Use plant protection products safely. Always read the label and product information before use

Dove Associates shall in no event be liable for any loss or damage caused by the use of products mentioned in this document

© Dove Associates 19/11/15