



Horticultural Consultants

Weggs Farm Common Road Dickleburgh, DISS Norfolk IP21 4PJ Tel: 01379 741200

Fax: 01379 741800

Email: info@dovebugs.co.uk

www.dovebugs.co.uk

Susceptibility of Perennial Weeds to Herbicides Post Emergence in ornamental crops

The following recommendations are based on label information and research trials. Test on a small area of crop first to check for phytotoxicity.

	Atlantis WG*	Basagran SG*	Bellmac Straight	Betanal Flow*	Boxer*	Centurion Max	Chikara + glyphosate	Depitox*	Dow Shield 400*	glufosinate-ammonium	glyphosate*	MCPA	Nortron Flo*	Panarex*	Pistol	Samson Extra 6%*	Shark*	Starane XL*	Sumimax*/Digital*/Guillotine*
Bracken																			
Field bindweed			MS					MS	MS	MS	MS						S		
Cleavers	S			MR	S								S				S	S	MS
Clover									MS	MS	MS								
Couch grass						S			R	MS	S			S					
Creeping buttercup			MS					S	R	MS	S	MS							
Creeping thistle		S						S	S	MS	S	MS							
Creeping yellow cress										MS	MS								
Daisy								S				MS			S				
Dandelion							S	S	S	MS	S	MR							

	Atlantis WG*	Basagran SG*	Bellmac Straight	Betanal Flow*	Boxer*	Centurion Max	Chikara + glyphosate	Depitox*	Dow Shield 400*	glufosinate-ammonium	glyphosate*	MCPA	Nortron Flo*	Panarex*	Pistol	Samson Extra 6%*	Shark*	Starane XL*	Sumimax*/Digital*/Guillotine*
Docks			MS					S	MR	MS	S	MR							
Hogweed									MS	MS	S								
Horsetail			MS				R	MS	MR	MS	MR	MR							
Mouse-ear chickweed								M R											S
Pearlwort																			
Plantains			S				S	S				S							
Ragwort							S					MS			S				
Ryegrasses	S					S	S							S		S			
Sallow																			
Spear thistle			S				S	S											
Sow thistle							S	MS				MR					S		
Stinging nettle								S		MS	MS								
Willowherb sp.							S								S				

Key to table

MS = Moderately Susceptible MR = Moderately Resistant

R = Resistant

S = Susceptible

* =EAMU required